

PC CARRIER TAPE (1)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
12-1595-24	CAR-20-006	1.47	1.93	1.42	800m	12×4	T=0.25	
12-1600-24	CAR-20-014	1.47	1.93	1.60	500m	12×4	T=0.25	
12-1596-24	CAR-20-005	1.75	1.88	1.55	800m	12×4	T=0.25	
12-1601-24	CAR-20-008	1.78	1.96	1.57	800m	12×4	T=0.25	
12-1602-24	CAR-20-011	2.06	1.93	1.60	800m	12×4	T=0.25	
12-1597-24	CAR-20-012	2.08	1.88	1.52	500m	12×4	T=0.25	
12-1603-24	CAR-20-010	2.39	1.93	1.68	800m	12×4	T=0.25	
12-1598-24	CAR-20-013	2.41	1.93	1.50	500m	12×4	T=0.25	
12-1599-24	CAR-20-007	2.74	1.91	1.55	500m	12×4	T=0.25	
12-1604-24	CAR-20-009	2.77	1.93	1.68	800m	12×4	T=0.25	
12-1442-24	CAR-45-052	3.05	3.05	1.14	700m	12×8	T=0.23	
12-1440-24	CAR-45-051	3.23	3.23	1.65	500m	12×8	T=0.26	
P2-333320		3.30	3.30	2.05	810m	12×8	T=0.25	
3010+A	CAR-20-021	3.35	3.50	1.55	453m	12×8	T=0.25	底部不噴砂
3015+A	CAR-45-106	3.35	3.50	1.90	453m	12×8	T=0.25	底部不噴砂
3020+A	CAR-20-022	3.35	3.50	2.40	453m	12×8	T=0.25	底部不噴砂
3236	CAR-45-058	3.40	3.75	1.20	600m	12×8	T=0.24	
PB69-00004A	CAR-03-098	3.50	2.80	1.00	1500m	12×4	T=0.30	
TM-3434	CAR-45-100	3.60	3.60	2.20	450m	12×8	T=0.24	
MD69-00354C	CAR-03-099	3.60	2.90	1.50	1500m	12×4	T=0.30	
F-166	CAR-45-069	3.70	3.75	1.45	500m	12×8	T=0.24	

昇洲精密股份有限公司 統一編號： 16530363 TEL : (03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX : (03) 590-5887

E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE (2)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
TM-3434-1	CAR-20-023	3.70	3.65	2.20	450m	12×8	T=0.24	
3532		3.80	3.40	2.50	400m	12×8	T=0.26	
373722		3.85	3.85	2.40	400m	12×8	T=0.24	
393921	CAR-45-098	3.90	3.90	2.15	400m	12×8	T=0.26	
020D	CAR-20-019	3.90	1.15	0.75	1000m	12×4	T=0.24	
392818	CAR-45-115	3.90	2.80	1.80	450m	12×4	T=0.25	
TXF-353229-1		3.90	3.55	3.20	300m	12×8	T=0.30	
3811-1	CAR-45-084	3.95	1.20	1.20	600m	12×4	T=0.25	底部不噴砂
1008-03	CAR-20-015	3.99	3.81	2.49	400m	12×8	T=0.25	
99-116	CAR-20-003	4.00	1.40	0.85	1000m	12×4	T=0.25	
PL-381801CT	CAR-45-054	4.00	2.00	0.40	1000m	12×4	T=0.24	
HT-V106	CAR-45-073	4.00	1.35	0.72	1000m	12×4	T=0.25	
380812	CAR-45-086	4.00	1.35	1.00	1000m	12×4	T=0.24	
380810	CAR-45-090	4.05	1.15	0.95	1000m	12×4	T=0.24	
KC-1204-301 (5016)	CAR-45-020	4.06	2.20	2.45	350m	12×4	T=0.30	
H-002	CAR-45-038	4.10	2.95	2.40	360m	12×8	奇特形狀	
4023	CAR-45-110	4.05	2.25	0.70	1000m	12×4	T=0.23	
322515+A		4.10	2.70	1.75	800m	12×4	T=0.24	底部不噴砂
41519		4.15	4.13	1.90		12×8	T=0.24	
454012 12-1439-24	CAR-45-045	4.19	4.19	1.32	500m	12×8	T=0.25	
SV-116	CAR-20-004	4.20	1.40	0.85	450m	12×4	奇特形狀	
4008-2	CAR-45-076	4.20	1.40	1.10	1000m	12×4	T=0.23	
HT-V135-1	CAR-20-016	4.20	1.55	1.02	500m	12×4	T=0.25	
*HT-V135-B	CAR-20-024	4.20	1.55	1.17	1000m	12×4	T=0.25	特殊形狀

昇洲精密股份有限公司 統一編號：16530363 TEL：(03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX：(03) 590-5887

E-mail：top@carrier-tech.com.tw

PC CARRIER TAPE (3)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
401465		4.20	1.60	0.78		12×4	T=0.24	
518	CAR-20-017	4.24	1.54	1.02	500m	12×4	T=0.25	
HT-V135	CAR-45-068	4.30	1.70	1.00	500m	12×4	T=0.28	
UNI-4010		4.30	1.25	0.75		12×4	T=0.24	
UNI-4010-135		4.30	1.35	0.75		12×4	T=0.24	
454508	CAR-45-022	4.35	4.35	0.65	1000m	12×8	T=0.25	底部不噴砂
4008-3	CAR-45-079	4.35	1.33	0.95	1000m	12×4	T=0.23	
4010+A	CAR-45-085	4.35	4.50	1.55	453m	12×8	T=0.25	底部不噴砂
4015+A	CAR-45-112	4.35	4.50	1.90	453m	12×8	T=0.25	底部不噴砂
4018+A	CAR-45-107	4.35	4.50	2.20	453m	12×8	T=0.25	底部不噴砂
292BR20G(292B)		4.35	3.60	1.50	500m	12×4	T=0.26	*特殊形狀
SOT-89	CAR-45-016	4.40	4.80	1.80	450m	12×8	T=0.24	
421409	CAR-45-099	4.40	1.55	1.10	1000m	12×4	T=0.25	
403023	CAR-45-113	4.40	3.30	2.50	450m	12×8	T=0.26	
404012		4.40	4.10	1.35	600m	12×8	T=0.25	
CC-10-3686P	CAR-45-093	4.60	2.20	2.20	350m	12×4	T=0.26	
1812	CAR-45-101	4.67	3.40	1.15	1000m	12×8	T=0.22	
452520	CAR-45-018	4.70	2.20	2.95	300m	12×8	T=0.30	
451616-A	CAR-45-088	4.70	1.75	1.75	450m	12×4	T=0.24	
453215-A	CAR-45-089	4.70	3.45	1.60	450m	12×8	T=0.24	
Melf-05		4.70	3.00	3.00	300m	12×4	T=0.25	*特殊形狀
AWP4010		4.70	4.20	1.05	600m	12×8	T=0.30	
473526		4.78	3.51	2.63		12×8	T=0.26	

昇洲精密股份有限公司 統一編號： 16530363 TEL : (03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX : (03) 590-5887

E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE (4)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
453222	CAR-45-042	4.80	3.57	2.25	350m	12X8	T=0.30	
453226	CAR-45-043	4.80	3.57	2.80	300m	12X8	T=0.30	
453212-1	CAR-45-041	4.80	3.57	1.40	600m	12X8	T=0.23	
FBC302540	CAR-45-083	4.80	3.30	3.10	250m	12×8	T=0.28	
453220+A	CAR-45-034	4.85	2.85	2.15	400m	12×4	T=0.25	底部不噴砂
451616-1	CAR-45-036	4.85	1.85	1.85	450m	12×4	T=0.24	
CC-10-L3665P	CAR-45-109	4.85	2.20	1.65	400m	12×4	T=0.26	
CC-10-L3686P	CAR-45-108	4.85	2.20	2.20	400m	12×4	T=0.26	
403025	CAR-42-001	4.90	3.60	3.00	300m	12×8	T=0.26	底部不噴砂
453232-6	CAR-45-050	4.90	3.61	3.51	200m	12X4	T=0.36	
AV002	CAR-45-067	4.90	4.05	1.10	500m	12X8	T=0.25	
451612	CAR-45-092	4.90	1.90	1.35	600m	12X4	T=0.24	
374919 (450M)	CAR-45-114	4.90	3.70	1.95	450m	12X8	T=0.26	
US033091		4.90	3.53	2.01	400m	12X8	T=0.24	
US033071		4.93	3.45	1.68	450m	12X8	T=0.24	
12-1481-24	CAR-45-055	4.94	4.99	1.12	1000m	12×8	T=0.29	
451613-1	CAR-45-033	4.95	1.73	1.35	600m	12×4	T=0.24	
451616	CAR-45-001	4.95	1.93	1.93	450m	12×4	T=0.24	
452015	CAR-45-060	4.95	2.20	1.35	600m	12×4	T=0.24	
452016	CAR-45-005	4.95	2.20	1.80	450m	12×4	T=0.24	底部不噴砂
452020	CAR-45-006	4.95	2.20	2.20	350m	12×4	T=0.24	底部不噴砂
453212	CAR-45-017	4.95	3.60	1.30	600m	12×8	T=0.24	

昇洲精密股份有限公司 統一編號： 16530363 TEL : (03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX : (03) 590-5887

E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE (5)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
453213	CAR-45-040	4.95	3.53	1.73	450m	12×8	T=0.24	
453215	CAR-45-002	4.95	3.66	1.85	500m	12X8	T=0.24	
NL453232	CAR-45-003	4.95	3.31	3.50	250m	12×8	T=0.35	底部不噴砂
MW69-00030A	CAR-45-124	4.95	1.93	1.85	1000m	12×4	T=0.23	
CEA10-804382	CAR-45-059	4.95	3.03	2.13	400m	12×4	T=0.30	
SMA-1	CAR-45-039	5.00	2.80	1.90	450m	12×4	T=0.24	
WCM4525	CAR-45-072	5.00	3.00	2.40	350m	12×4	T=0.25	
135010	CAR-45-087	5.00	1.35	1.00	1000m	12×4	T=0.24	
PC-PAS4420C-A		5.00	2.50	2.20	450m	12×8	T=0.30	
12-1517-24	CAR-45-064	5.08	5.08	3.10	250m	12×8	T=0.30	
453232L	CAR-45-023	5.10	3.60	2.80	250m	12×8	T=0.30	
506520	CAR-45-013	5.15	6.30	2.05	400m	12×8	T=0.30	
453232B	CAR-45-015	5.20	3.65	3.60	250m	12×8	T=0.35	
SOIC08	CAR-45-048	5.20	6.40	2.10	400m	12×8	T=0.30	
2010-1	CAR-20-002	5.20	2.70	0.60	1000m	12×4	T=0.26	
PP6N-XL	CAR-45-066	5.25	4.15	2.20	480m	12×8	T=0.25	
TM-5050	CAR-45-125	5.25	5.25	3.15	250m	12×8	T=0.35	
SMA-S	CAR-45-071	5.30	2.80	1.80	450m	12×4	T=0.25	
MELF-01	CAR-45-011	5.30	3.00	3.00	250m	12×4	奇特形狀	
506520-1	CAR-45-027	5.30	6.50	2.10	400m	12×8	T=0.27	底部不噴砂
5020+A	CAR-45-102	5.35	5.50	2.40	453m	12×8	T=0.30	底部不噴砂

昇洲精密股份有限公司 統一編號：16530363 TEL：(03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX：(03) 590-5887

E-mail：top@carrier-tech.com.tw

PC CARRIER TAPE (6)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
5012+A	CAR-45-104	5.35	5.50	1.55	453m	12×8	T=0.30	底部不噴砂
5015+A	CAR-45-105	5.35	5.50	1.90	453m	12×8	T=0.30	底部不噴砂
SMA-3		5.35	2.85	2.30	450m	12×4	T=0.30	
SMB	CAR-45-029	5.40	3.80	2.60	350m	12×8	T=0.30	底部不噴砂
5025	CAR-45-070	5.40	2.90	0.70	1200m	12×4	T=0.23	底部不噴砂
525230	CAR-45-115	5.40	5.40	3.20	250m	12×8	T=0.30	
2010	CAR-20-001	5.45	2.77	0.84	900m	12×4	T=0.24	
SMA-S-1	CAR-45-078	5.50	3.00	2.00	600m	12×4	T=0.25	
545202	CAR-45-021	5.50	5.70	1.75	500m	12×8	T=0.30	
SMA-H	CAR-45-091	5.50	3.00	1.20	700m	12×4	T=0.25	底部不噴砂
375535 (250M)	CAR-45-116	5.50	3.75	3.55	250m	12×8	T=0.30	
KC-SMD-301	CAR-45-024	5.59	2.79	2.92	250m	12×4	T=0.25	
572513	CAR-45-047	5.60	2.30	1.40	650m	12×4	T=0.24	底部不噴砂
SMA303	CAR-45-012	5.80	3.07	3.08	250m	12×8	T=0.27	
SMA-203	CAR-45-019	5.80	3.12	3.08	250m	12×4	T=0.25	
563008	CAR-20-018	5.85	3.35	1.10	1000m	12×4	T=0.25	
554030	CAR-45-004	5.82	4.09	3.33	250m	12×8	T=0.32	
554030-2	CAR-45-010	5.90	4.09	3.30	250m	12×8	奇特形狀	
LED-5050		5.90	5.50	1.85	450m	12×8	T=0.25	
575020		5.95	5.35	2.20	300m	12×8	T=0.26	

昇洲精密股份有限公司 統一編號： 16530363 TEL : (03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX : (03) 590-5887

E-mail : top@carrier-tech.com.tw

PC CARRIER TAPE (7)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
656	CAR-45-082	6.00	3.60	1.25	700m	12×8	T=0.25	
2220-Ko2.60	CAR-45-117	6.00	5.10	2.60	400m	12×8	T=0.26	
CC-10-3774P	CAR-45-126	6.00	5.06	1.88	400m	12×8	T=0.26	
CC-10-3764P	CAR-45-122	6.00	5.06	1.63	400m	12×8	T=0.26	
452023	CAR-45-026	6.05	2.40	2.50	300m	12×4	T=0.30	底部不噴砂
575015	CAR-45-096	6.05	5.25	1.80	450m	12X8	T=0.30	
575018	CAR-45-095	6.05	5.25	2.00	300m	12X8	T=0.30	
575030	CAR-45-094	6.15	5.25	3.20	300m	12X8	T=0.30	
575032	CAR-45-118	6.15	5.25	3.40	250m	12X8	T=0.26	
MELF-4		6.15	2.40	2.35	400m	12X4	T=0.26	
6030	CAR-45-097	6.20	3.25	1.00	1000m	12X4	T=0.23	
556225	CAR-45-119	6.20	5.50	2.50	350m	12X8	T=0.23	
12-1482-24	CAR-45-056	6.27	6.27	3.05	250m	12×8	T=0.30	
CC-10-3787P	CAR-45-123	6.28	5.28	2.20	400m	12×8	T=0.26	
12-1483-24	CAR-45-057	6.30	6.30	2.57	350m	12×8	T=0.30	
12-1793-24	CAR-20-020	6.30	6.30	2.80	300m	12×8	T=0.30	
SMB-C-1	CAR-45-030	6.35	3.60	2.80	300m	12×8	T=0.26	
MJ69-00035A 35A(C)		6.43	3.71	2.80	210m	12×8	T=0.26	
QFNB665510		6.50	5.65	1.25	1000m	12×8	T=0.24	
2512-2	CAR-45-061	6.52	3.28	0.84	1000m	12×4	T=0.24	

昇洲精密股份有限公司 統一編號：16530363 TEL：(03) 590-5890~1

新竹縣湖口鄉成功路 335 巷 29 弄 11 號 FAX：(03) 590-5887

E-mail：top@carrier-tech.com.tw

PC CARRIER TAPE (8)

UpDate : 2017/ 6/ 20

尺規書	模具編號	Bo	Ao	Ko	長度	W×P	T 值	備註
6432	CAR-45-075	6.60	3.30	0.70	1000m	12×4	T=0.24	
453214	CAR-45-063	6.60	3.10	1.60	600m	12×4	T=0.24	
656012	CAR-45-035	6.70	6.30	1.35	650m	12×8	T=0.24	
2512	CAR-25-001	6.73	3.40	0.81	1000m	12×4	T=0.24	
12-1446-24 654532	CAR-45-046	6.73	4.95	3.30	250m	12×8	T=0.30	
606518	CAR-45-044	6.80	6.30	2.00	500m	12×8	T=0.26	
2512L	CAR-45-062	6.80	3.50	1.00	1000m	12×4	T=0.24	
2512-1	CAR-25-002	7.10	3.70	1.20	700m	12×8	T=0.23	底部不噴砂
703010	CAR-45-120	7.12	3.20	1.05	1000m	12×4	T=0.24	
704008	CAR-45-049	7.20	4.15	0.95	900m	12×8	T=0.24	
705030	CAR-45-032	7.24	5.00	2.85	250m	12×8	奇特形狀	
7030	CAR-45-102	7.25	3.20	1.05	1000m	12×4	T=0.24	
SOT-223-ST	CAR-45-025	7.50	7.00	1.85	450m	12×8	T=0.30	
SMC	CAR-45-077	7.25	5.00	2.65	300m	12×8	T=0.26	
TTI5050	CAR-45-081	7.50	5.30	1.65	600m	12×8	T=0.26	底部不噴砂
SMB-D	CAR-45-008	7.60	4.60	3.10	250m	12×8	T=0.26	底部不噴砂
AS01A866	CAR-45-121	7.60	4.60	1.35	650m	12×8	T=0.24	
SMB-D-1	CAR-45-031	7.60	4.60	3.15	250m	12×8	T=0.26	
2512-4	CAR-45-080	7.62	3.42	0.94	1000m	12×4	T=0.25	
MJ69-00036A 36A(D)		7.67	4.80	3.20	200m	12×8	T=0.30	
MJ69-00262H 764620		7.67	4.67	2.10	1000m	12×8	T=0.26	

確認：

審核：

製表：